

LIST OF TABLES

<u>Table A</u>	Performance Characteristics of FETAX.....	ES-6
<u>Table B</u>	Summary of FETAX Validation Studies.....	ES-10
<u>Table 1a</u>	Major Chemical Classes Evaluated with FETAX.....	3-3
<u>Table 1b</u>	Major Product Classes Evaluated with FETAX.....	3-4
<u>Table 2</u>	Smith et al. (1983) Suggested List of Substances/Conditions for <i>In Vitro</i> Teratogenesis Testing	3-6
<u>Table 3</u>	Teratogenicity/Embryoletality of Binary Mixtures Tested in FETAX (Dawson and Wilke, 1991a, b).....	5-4
<u>Table 4</u>	Malformation Information for Ten Carboxylic Acid Mixtures Tested in FETAX (Dawson, 1991).....	5-6
<u>Table 5</u>	Performance Characteristics of FETAX, Without Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Teratogenicity Results.....	6-4
<u>Table 6</u>	Performance Characteristics of FETAX, With Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Teratogenicity Results.....	6-7
<u>Table 7</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Teratogenicity Results	6-11
<u>Table 8</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Species Teratogenicity Results by Chemical and Product Class - TI >1.5 Decision Criterion.....	6-15
<u>Table 9</u>	Performance Characteristics of FETAX, with and without Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Species Teratogenicity Results by Chemical and Product Class - TI >3.0 Decision Criterion.....	6-16
<u>Table 10</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Combined Rat, Mouse, and Rabbit Species Teratogenicity Results by Chemical and Product Class - MCIG/LC ₅₀ Decision Criterion.....	6-17

<u>Table 11</u>	Performance Characteristics of FETAX, Without Metabolic Activation, compared to Individual Rat, Mouse, and Rabbit Species Teratogenicity Results.....	6-22
<u>Table 12</u>	Performance Characteristics of FETAX, With Metabolic Activation, compared to Individual Rat, Mouse, and Rabbit Species Teratogenicity Results.....	6-25
<u>Table 13</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Individual Rat, Mouse, and Rabbit Species Teratogenicity Results.....	6-27
<u>Table 14</u>	Performance Characteristics of FETAX, Without Metabolic Activation, compared to Human Teratogenicity Study Results.....	6-30
<u>Table 15</u>	Performance Characteristics of FETAX, With Metabolic Activation, compared to Human Teratogenicity Study Results.....	6-34
<u>Table 16</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Human Teratogenicity Study Results.....	6-37
<u>Table 17</u>	Performance Characteristics of FETAX, With and Without Metabolic Activation, compared to Human Teratogenicity Study Results by Chemical and Product Class.....	6-41
<u>Table 18</u>	FETAX Results Discordant with Reference Laboratory Mammal and/or Human Teratogenicity Results	6-46
<u>Table 19</u>	Substances Inducing Gut Miscoiling, Craniofacial Malformations, or Microencephaly in <i>X. laevis</i> Embryos.....	6-56
<u>Table 20</u>	Substances Tested in FETAX With Metabolic Activation: Identification of Possible Metabolic Activation Requiring Substances	6-62
<u>Table 21</u>	Phase I Validation Study—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria.....	7-4
<u>Table 22</u>	Phase I Validation Study—Concordance Within the Same Laboratory in Obtaining a Significant FETAX Response Based on Single Decision Criteria	7-4

<u>Table 23</u>	Phase II Validation Study—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria.....	7-7
<u>Table 24</u>	Phase II Validation Study—Concordance Within the Same Laboratory in Obtaining a Significant FETAX Response Based on Single Decision Criteria	7-7
<u>Table 25</u>	Phase III.1 Validation Study—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria.....	7-9
<u>Table 26</u>	Phase III.1 Validation Study—Concordance Within the Same Laboratory in Obtaining a Significant FETAX Response Based on Single Decision Criteria	7-10
<u>Table 27</u>	Phase III.2 Validation Study—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria.....	7-13
<u>Table 28</u>	Phase III.2 Validation Study—Concordance Within the Same Laboratory in Obtaining a Significant FETAX Response Based on Single Decision Criteria	7-14
<u>Table 29a</u>	Phase III.3 Validation Study Without Metabolic Activation—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria.....	7-18
<u>Table 29b</u>	Phase III.3 Validation Study With Metabolic Activation—Concordance among Laboratories in Obtaining a Significant FETAX Response Based on Single Decision Criteria 7-19	7-19
<u>Table 30</u>	Conclusions by Laboratory for Chemicals Tested Without Metabolic Activation as Determined Using Multiple Criteria (TI >1.5 plus MICG/LC ₅₀ <0.3)	7-22
<u>Table 31</u>	Conclusions by Laboratory for Chemicals Tested With Metabolic Activation as Determined Using Multiple Criteria (TI >1.5 plus MICG/LC ₅₀ <0.3)	7-23
<u>Table 32</u>	Using Multiple Criteria, Comparison of Consensus FETAX Conclusions, With or Without Metabolic Activation, to the Consensus Non-Human Mammalian Teratogenicity Conclusions	7-24

<u>Table 33</u>	Distribution of TI Values >1.5 for FETAX, With or Without Metabolic Activation, Compared to the Consensus Non-Human Mammalian Teratogenicity Conclusions.....	7-25
<u>Table 34a</u>	Comparison of Coefficient of Variation (CV) Results for All Validation Studies—FETAX Without Metabolic Activation	7-29
<u>Table 34b</u>	A Comparison of Coefficient of Variation (CV) Results for All Validation Studies—FETAX With Metabolic Activation	7-30
<u>Table 35</u>	Assessment of FETAX Performance Compared to Laboratory Mammalian and Human Teratogenicity Data When Analysis Is Limited to Experienced Laboratories--Limited Database	7-34
<u>Table 36</u>	Concordance between TI >1.5 and MCIG/LC ₅₀ <0.3 for All Validation Studies	7-39
<u>Table 37</u>	List of Test Chemicals for the ECVAM Validation Study of Three <i>In Vitro</i> Embryotoxicity Tests (Genschow et al., 1999)	11-7
<u>Table 38</u>	Summary of Results for Complex Fossil Fuel Mixtures using FETAX (Dumont et al., 1983)	16-8